



STUDIO EQUIPMENTS

The **D7500** is **Nikon's** second-best DX body DSLR packed with the professional quality components seen in the flagship DX camera, the D500. The D7500 is one of the best DX bodies they've ever made with it likely to be one of the last DX DSLRs produced as everything slowly turns mirrorless.



Canon EOS 200D Performance, image quality. Burst shooting was at 4.9fps in my tests, which is faster than the 100D but slower than the 800D's 6fps. Burst with continuous autofocus came in at 3.1fps. With plenty of detail and nicely controlled noise from its 24-megapixel sensor, image quality was good, too.





JAMAL MOHAMED COLLEGE (AUTONOMOUS)

(Affiliated to Bharathidasan University)

TIRUCHIRAPPALLI - 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development

The **Panasonic AG-HVX200A** is a P2-based camera that answers the demands of nearly any professional videographer. The camcorder builds on the overwhelming success of the original AG-HVX200, with the addition of some much sought-after revisions. The most important new feature is an updated sensor, which yields higher sensitivity, creating less noise in low-light situations.



Hitachi Camera - 3

HITACHI's Z-HD6000 is our lowest cost, full 1920 X 1080 HDTV camera system. Utilizing HITACHI's latest generation 2.6 mega-pixel 2/3" MOS image sensors, it retains all the popular functions and features of the existing camera line. Advanced specifications include F12 standard sensitivity with over 60dB of video headroom and Real-time Lens Aberration Correction (RLAC)



JAMAL MOHAMED COLLEGE (AUTONOMOUS)

(Affiliated to Bharathidasan University)

TIRUCHIRAPPALLI – 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development



24-inch, M1, 2021 Ports: Two Thunderbolt / USB 4 ports Colors: Silver, pink, blue, green Model Identifier:

iMac21, 2 Part Numbers: MGTF3xx/a, MJV83xx/a, MJV93xx/a, MJVA3xx/a Tech Specs: iMac (24-inch, M1, 2021)

User Guide: iMac (24-inch, M1, 2021).





Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development

The **Yamaha 01V96** provides full 24-bit 96 kHz operation, providing premium dynamic range and sonic character.



The rack-mountable **18i20** gives you 18 inputs and 20 outputs of incredible sound quality.

Enough to turn any space into a fully-fledged recording studio. Why We Love It: Mic preamps renowned for their clarity.





JAMAL MOHAMED COLLEGE (AUTONOMOUS)

(Affiliated to Bharathidasan University)

TIRUCHIRAPPALLI – 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development

Yamaha MSP5 Studio is a two-way bi-amplified bass reflex system that delivers outstanding monitoring precision for digital or analog production in stereo or surround formats. The more compact dimensions of the MSP5 Studio make it an ideal choice for smaller project studios and DAW based production systems.



Ahuja microphone -2



**Dynamic frequency
range 50- 150000 HZ
microphone sensitivity
2.5 mV/Pa impedance
600 ohms**



JAMAL MOHAMED COLLEGE (AUTONOMOUS)

(Affiliated to Bharathidasan University)
TIRUCHIRAPPALLI – 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development

Shure wireless microphone



Edamalaipatti Pudur, Tamil Nadu, India
QMPW+378, Kajamalai Colony, Edamalaipatti Pudur, Tamil Nadu 620020,
India
Lat 10.785234°
Long 78.695533°
10/01/22 10:51 AM GMT +05:30

GPS Map Camera

Dual wireless system for vocal performances
Includes 2 BLX2/SM58 handheld transmitters, BLX88 dual-channel wireless receiver, power supply, AA batteries, and user guide
1-touch QuickScan frequency selection quickly locates the best open frequency
Up to 12 compatible systems per frequency band (region-dependent)
Up to 300' transmission radius (line of sight)

MX 3333 Headphones -6



Edamalaipatti Pudur, Tamil Nadu, India
QMPW+378, Kajamalai Colony, Edamalaipatti Pudur, Tamil Nadu 620020,
India
Lat 10.785229°
Long 78.695259°
10/01/22 10:18 AM GMT +05:30

GPS Map Camera

MX Headphones has 40mm speaker driver. MX Headphones has High-energy neodymium magnet. MX Headphones has Accurate and rich bass and enhanced vocal performance.



JAMAL MOHAMED COLLEGE (AUTONOMOUS)

(Affiliated to Bharathidasan University)
TIRUCHIRAPPALLI – 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development



Ideal for the meeting and huddle rooms, the affordable **Epson EB-X41projector** is a multi-functional, packed with features and the perfect choice to present true-to-life images. Captivating presentations are now possible with stunning colour and white brightness of up to 3,600 lumens to ensure clear images. The intuitive home screen puts all commonly used functions together for easy selection. White and Colour Brightness at 3,600lm XGA resolution. High contrast ratio of 15,000:1, Horizontal keystone slider, 10,000 hours' lamp life in eco-mode





JAMAL MOHAMED COLLEGE (AUTONOMOUS)
(Affiliated to Bharathidasan University)
TIRUCHIRAPPALLI – 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development





JAMAL MOHAMED COLLEGE (AUTONOMOUS)

(Affiliated to Bharathidasan University)

TIRUCHIRAPPALLI - 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development

e-7060 Tripod



Folded Length : 83cm Maximum Height: 162cm Minimum Height: 78cm Leg Sections : 3 Loading capacity : 8 kg Weight : 5kg Tilt Range : +90o/-50o Tilt Range : -45/+90 degrees Pan Range : 360 degrees

Yamaha Speaker - 2



MSP3 Powered Monitor Speaker is a 2-way powered monitor speaker system. It features a built-in 20-watt amplifier that drives both the 10cm (4") cone and 2.2cm (7/8") tweeter. Balanced XLR, balanced phone jack and unbalanced RCA jack inputs for versatile connectivity.



JAMAL MOHAMED COLLEGE (AUTONOMOUS)



(Affiliated to Bharathidasan University)
TIRUCHIRAPPALLI – 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development





JAMAL MOHAMED COLLEGE (AUTONOMOUS)

(Affiliated to Bharathidasan University)

TIRUCHIRAPPALLI – 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development

2 Bank Light -2



High quality Canara 2 Bank Cyclorama Cool light used as a Cyclorama light with dimming option for creating various effects for multiple application.

Spot light-2



Spotlight, device used to produce intense illumination in a well-defined area in stage, film, television, ballet, and opera production



JAMAL MOHAMED COLLEGE (AUTONOMOUS)

(Affiliated to Bharathidasan University)

TIRUCHIRAPPALLI – 620 020

NAAC - SSR IV CYCLE

Criterion IV- Infrastructure and Learning Resources

4.3 IT Infrastructure

4.3.4 Institution has Facilities for e-content development



Bank lighting is a photo lighting setup that uses polygonal soft boxes called bank lights to modify the light source and produce a soft and directional illumination. The modifiers can have different shapes (e.g., square, rectangular, octagonal, strip) and sizes.

Six Bank Light (2)

Four Bank Light (2)

Two Bank Light (2)

Spot Light (2)

LED Light (2)